





TORQUE FLEX® V-BELTS (ISO)



V-BELT

Part No: 17BX 1800
 17BX 17 mm top width
 1800 1800 mm datum length

Part No: 22C 6880
 22C 22 mm top width
 6880 6880 mm datum length

RAW EDGE CONSTRUCTION UP TO 3050 MM, ENVELOPE CONSTRUCTION FROM 3060 MM

APPLICATIONS


Designed for operating at high speeds over small diameter pulleys and short center distances. Also for use in multiple V-belt drives where high shock load and heavy-duty loads are encountered.

KEY FEATURES & BENEFITS

- Universal classical profile to fit ISO 4183 pulleys.
- High-strength Vytacord tensile members.
- Oil, ozone and abrasion resistant.
- Temperature resistance: -20 °C to +70 °C.
- Matchmaker* to eliminate mismatch.
- Static conductive (ISO 1813).

* Refer to Goodyear Matchmaker System (page 71)

Torque_Flex ISO
Classical 'V'



TORQUE FLEX[®] V-BELTS (ISO)

ZX

Belt reference	Imperial reference (inch)	Inside length Li (mm)	Datum length Ld (mm)	Belt reference	Imperial reference (inch)	Inside length Li (mm)	Datum length Ld (mm)	Belt reference	Imperial reference (inch)	Inside length Li (mm)	Datum length Ld (mm)
ZX 14 3/4	14 3/4	375	395	ZX 32	32	815	835	ZX 48	48	1225	1245
ZX 15 1/4	15 1/4	385	405	ZX 32 1/4	32 1/4	820	840	ZX 48 1/2	48 1/2	1235	1255
ZX 15 3/4	15 3/4	400	420	ZX 32 1/2	32 1/2	825	845	ZX 49	49	1250	1270
ZX 16 3/4	16 3/4	425	445	ZX 32 3/4	32 3/4	835	855	ZX 49 1/2	49 1/2	1260	1280
ZX 17 1/2	17 1/2	450	465	ZX 33	33	845	865	ZX 50	50	1275	1295
ZX 18	18	455	475	ZX 33 1/2	33 1/2	850	875	ZX 50 1/2	50 1/2	1290	1310
ZX 19	19	475	500	ZX 34 1/2	34 1/2	875	895	ZX 51	51	1300	1320
ZX 19 1/4	19 1/4	490	510	ZX 34 5/8	34 5/8	880	900	ZX 52	52	1320	1340
ZX 19 1/2	19 1/2	500	520	ZX 34 3/4	34 3/4	885	905	ZX 52 3/4	52 3/4	1340	1360
ZX 20	20	510	530	ZX 35	35	895	915	ZX 53	53	1350	1370
ZX 20 1/2	20 1/2	525	545	ZX 35 1/4	35 1/4	900	920	ZX 53 1/2	53 1/2	1365	1385
ZX 21	21	530	555	ZX 35 3/4	35 3/4	910	930	ZX 54	54	1375	1395
ZX 21 1/4	21 1/4	540	560	ZX 36	36	925	945	ZX 54 1/2	54 1/2	1390	1410
ZX 21 1/2	21 1/2	545	565	ZX 36 1/2	36 1/2	930	950	ZX 55	55	1400	1420
ZX 21 7/8	21 7/8	560	580	ZX 36 3/4	36 3/4	940	960	ZX 56	56	1425	1450
ZX 22	22	565	585	ZX 37	37	945	965	ZX 57	57	1450	1470
ZX 22 1/4	22 1/4	570	590	ZX 37 1/2	37 1/2	950	975	ZX 57 1/2	57 1/2	1465	1485
ZX 22 1/2	22 1/2	575	595	ZX 37 3/4	37 3/4	960	980	ZX 58 1/4	58 1/4	1475	1500
ZX 23	23	590	610	ZX 37 7/8	37 7/8	965	985	ZX 58 1/2	58 1/2	1490	1510
ZX 23 3/4	23 3/4	600	625	ZX 38	38	970	990	ZX 59	59	1500	1520
ZX 24	24	615	635	ZX 38 1/2	38 1/2	975	1000	ZX 59 1/4	59 1/4	1505	1525
ZX 24 3/4	24 3/4	630	650	ZX 39	39	990	1010	ZX 60	60	1530	1550
ZX 25	25	640	660	ZX 39 1/2	39 1/2	1000	1025	ZX 61	61	1550	1570
ZX 25 1/2	25 1/2	650	670	ZX 40	40	1020	1040	ZX 62	62	1580	1600
ZX 26	26	665	685	ZX 40 1/2	40 1/2	1030	1050	ZX 63	63	1600	1620
ZX 26 1/4	26 1/4	670	690	ZX 41	41	1040	1060	ZX 64	64	1630	1650
ZX 26 3/4	26 3/4	680	700	ZX 41 1/2	41 1/2	1050	1075	ZX 65	65	1650	1670
ZX 27	27	690	710	ZX 41 3/4	41 3/4	1060	1080	ZX 66	66	1680	1700
ZX 27 1/2	27 1/2	700	720	ZX 42	42	1065	1085	ZX 67	67	1700	1720
ZX 28	28	715	735	ZX 42 1/2	42 1/2	1080	1100	ZX 68	68	1730	1750
ZX 28 1/4	28 1/4	720	740	ZX 43	43	1090	1110	ZX 69	69	1750	1770
ZX 28 1/2	28 1/2	725	745	ZX 43 1/2	43 1/2	1100	1125	ZX 71	71	1800	1820
ZX 28 3/4	28 3/4	730	750	ZX 44	44	1120	1135	ZX 73	73	1850	1870
ZX 29	29	740	760	ZX 44 1/2	44 1/2	1130	1150	ZX 75	75	1900	1920
ZX 29 1/4	29 1/4	745	765	ZX 45	45	1140	1160	ZX 78	78	1975	2000
ZX 29 1/2	29 1/2	750	775	ZX 45 1/4	45 1/4	1150	1170	ZX 79	79	2000	2020
ZX 30	30	760	780	ZX 46	46	1175	1195	ZX 83 1/2	83 1/2	2120	2140
ZX 30 1/2	30 1/2	780	800	ZX 46 1/2	46 1/2	1180	1205	ZX 88	88	2240	2260
ZX 31	31	790	810	ZX 47	47	1200	1220	ZX 93	93	2360	2380
ZX 31 1/2	31 1/2	800	825	ZX 47 1/4	47 1/4	1205	1225	ZX 98 1/2	98 1/2	2500	2520
ZX 31 3/4	31 3/4	810	830	ZX 47 1/2	47 1/2	1210	1230				

V - B E L T



TORQUE FLEX[®] V-BELTS (ISO)

AX/A

V - B E L T

Belt reference	Imperial reference (inch)	Inside length Li (mm)	Datum length Ld (mm)	Belt reference	Imperial reference (inch)	Inside length Li (mm)	Datum length Ld (mm)	Belt reference	Imperial reference (inch)	Inside length Li (mm)	Datum length Ld (mm)
AX 16	16	407	440	AX 42	42	1060	1090	AX 83	83	2100	2140
AX 17	17	435	465	AX 42 ½	42 ½	1075	1100	AX 83 ½	83 ½	2120	2150
AX 18	18	457	490	AX 43	43	1100	1130	AX 84	84	2134	2170
AX 19	19	480	510	AX 44	44	1120	1150	AX 84 ½	84 ½	2150	2180
AX 20	20	508	540	AX 45	45	1143	1175	AX 85	85	2160	2200
AX 20 ¼	20 ¼	515	545	AX 45 ¼	45 ¼	1150	1180	AX 86	86	2190	2220
AX 21	21	535	570	AX 46	46	1168	1200	AX 87	87	2210	2240
AX 22	22	560	590	AX 46 ½	46 ½	1180	1210	AX 88	88	2240	2270
AX 22 ¾	22 ¾	575	605	AX 47	47	1220	1230	AX 89	89	2261	2300
AX 23	23	590	620	AX 48	48	1220	1250	AX 90	90	2286	2320
AX 23 ½	23 ½	600	630	AX 48 ¼	48 ¼	1225	1255	AX 91	91	2311	2340
AX 24	24	610	640	AX 49	49	1250	1280	AX 92	92	2337	2370
AX 25	25	630	660	AX 50	50	1270	1300	AX 93	93	2360	2400
AX 25 ½	25 ½	650	680	AX 50 ½	50 ½	1280	1310	AX 94	94	2388	2420
AX 26	26	660	690	AX 51	51	1300	1330	AX 95	95	2413	2450
AX 26 ½	26 ½	670	700	AX 52	52	1320	1360	AX 96	96	2438	2480
AX 27	27	686	720	AX 53	53	1350	1380	AX 97	97	2464	2500
AX 27 ½	27 ½	700	730	AX 54	54	1375	1410	AX 98	98	2500	2520
AX 28	28	710	740	AX 55	55	1400	1430	AX 99	99	2520	2550
AX 28 ½	28 ½	725	755	AX 56	56	1422	1460	AX 100	100	2540	2570
AX 29	29	730	760	AX 57	57	1450	1480	AX 101	101	2565	2600
AX 29 ½	29 ½	750	780	AX 58	58	1475	1510	AX 102	102	2591	2630
AX 30	30	767	790	AX 59	59	1500	1530	AX 103	103	2616	2650
AX 30 ½	30 ½	775	800	AX 60	60	1525	1550	AX 104	104	2650	2680
AX 30 ¾	30 ¾	780	810	AX 61	61	1550	1580	AX 105	105	2667	2700
AX 31	31	790	820	AX 62	62	1575	1610	AX 107	107	2725	2750
AX 31 ½	31 ½	800	830	AX 63	63	1600	1630	AX 108	108	2743	2780
AX 32	32	813	840	AX 63 ½	63 ½	1610	1640	AX 110	110	2800	2830
AX 32 ½	32 ½	825	850	AX 64	64	1625	1660	AX 112	112	2845	2880
AX 33	33	841	870	AX 65	65	1650	1690	AX 113	113	2870	2910
AX 33 ½	33 ½	850	880	AX 66	66	1676	1710	AX 114	114	2896	2930
AX 33 ¾	33 ¾	855	885	AX 67	67	1700	1740	AX 116	116	2946	2980
AX 34	34	860	890	AX 67 ½	67 ½	1715	1750	AX 118	118	3000	3030
AX 34 ¼	34 ¼	875	905	AX 68	68	1725	1760	A 120	120	3048	3080
AX 35	35	889	920	AX 69	69	1750	1780	A 124	124	3150	3190
AX 35 ½	35 ½	900	930	AX 70	70	1775	1810	A 128	128	3250	3290
AX 36	36	914	940	AX 71	71	1800	1840	A 130	130	3302	3330
AX 36 ¼	36 ¼	920	950	AX 72	72	1825	1860	A 132	132	3350	3388
AX 36 ½	36 ½	925	960	AX 73	73	1854	1890	A 136	136	3454	3490
AX 37	37	940	970	AX 74	74	1880	1920	A 140	140	3550	3590
AX 37 ½	37 ½	950	980	AX 75	75	1900	1940	A 144	144	3658	3690
AX 38	38	965	990	AX 76	76	1930	1960	A 148	148	3750	3790
AX 38 ½	38 ½	975	1005	AX 77	77	1956	1990	A 150	150	3810	3850
AX 39	39	1000	1020	AX 78	78	1980	2010	A 155	155	3910	3940
AX 40	40	1016	1050	AX 79	79	2000	2050	A 158	158	4000	4040
AX 40 ½	40 ½	1030	1060	AX 80	80	2032	2070	A 162	162	4115	4140
AX 41	41	1041	1070	AX 81	81	2060	2090	A 173	173	4400	4430
AX 41 ½	41 ½	1050	1080	AX 82	82	2083	2120	A 187	187	4750	4780

TORQUE FLEX[®] V-BELTS (ISO)

BX/B

Belt reference	Imperial reference (inch)	Inside length Li (mm)	Datum length Ld (mm)	Belt reference	Imperial reference (inch)	Inside length Li (mm)	Datum length Ld (mm)	Belt reference	Imperial reference (inch)	Inside length Li (mm)	Datum length Ld (mm)
BX 22 ½	22 ½	570	610	BX 60	60	1525	1560	BX 115	115	2921	2960
BX 23	23	585	625	BX 61	61	1550	1590	BX 116	116	2950	2990
BX 24	24	615	655	BX 62	62	1575	1610	BX 118	118	3000	3040
BX 25	25	630	670	BX 63	63	1600	1640	B 120	120	3050	3090
BX 25 ½	25 ½	650	690	BX 63 ½	63 ½	1620	1660	B 122	122	3100	3140
BX 26 ½	26 ½	670	710	BX 64	64	1625	1670	B 124	124	3150	3200
BX 27	27	686	725	BX 65	65	1650	1690	B 126	126	3200	3240
BX 28	28	710	750	BX 66	66	1676	1720	B 128	128	3250	3290
BX 28 ½	28 ½	725	765	BX 67	67	1700	1740	B 130	130	3302	3350
BX 29 ½	29 ½	750	790	BX 68	68	1725	1760	B 132	132	3350	3400
BX 30	30	760	800	BX 69	69	1750	1790	B 133	133	3385	3425
BX 30 ½	30 ½	775	815	BX 69 ½	69 ½	1761	1800	B 134	134	3404	3450
BX 31	31	790	830	BX 70	70	1775	1820	B 136	136	3450	3500
BX 31 ½	31 ½	800	840	BX 71	71	1800	1850	B 138	138	3505	3550
BX 32	32	810	850	BX 72	72	1829	1870	B 140	140	3550	3600
BX 32 ¼	32 ¼	820	860	BX 73	73	1850	1900	B 142	142	3600	3650
BX 32 ½	32 ½	825	865	BX 74	74	1880	1920	B 144	144	3658	3700
BX 33	33	840	880	BX 75	75	1900	1950	B 146	146	3700	3750
BX 33 ½	33 ½	850	890	BX 76	76	1930	1970	B 148	148	3750	3800
BX 33 ¾	33 ¾	860	900	BX 77	77	1950	2000	B 150	150	3810	3850
BX 34 ½	34 ½	875	910	BX 78	78	1981	2020	B 152	152	3861	3900
BX 35	35	889	930	BX 79	79	2000	2050	B 154	154	3912	3950
BX 35 ½	35 ½	900	940	BX 80	80	2032	2070	B 155 ½	155 ½	3950	3980
BX 35 ¾	35 ¾	910	950	BX 81	81	2060	2100	B 156	156	3962	4000
BX 36 ¼	36 ¼	925	960	BX 82	82	2083	2130	B 158	158	4000	4060
BX 36 ½	36 ½	930	970	BX 83	83	2100	2150	B 160	160	4070	4110
BX 37	37	940	980	BX 83 ½	83 ½	2120	2160	B 162	162	4115	4160
BX 37 ½	37 ½	950	990	BX 84	84	2134	2180	B 164	164	4166	4210
BX 38	38	965	1000	BX 85	85	2160	2200	B 165	165	4200	4240
BX 38 ½	38 ½	975	1015	BX 86	86	2200	2230	B 167	167	4250	4290
BX 39	39	990	1030	BX 87	87	2210	2250	B 170	170	4318	4360
BX 39 ½	39 ½	1000	1040	BX 88	88	2240	2280	B 173	173	4394	4430
BX 40	40	1016	1060	BX 89	89	2261	2300	B 175	175	4450	4490
BX 40 ½	40 ½	1030	1070	BX 90	90	2286	2330	B 177	177	4500	4540
BX 41	41	1040	1080	BX 91	91	2300	2350	B 180	180	4572	4610
BX 41 ½	41 ½	1050	1090	BX 92	92	2337	2380	B 181	181	4600	4640
BX 42	42	1060	1100	BX 93	93	2360	2400	B 185	185	4699	4740
BX 42 ½	42 ½	1075	1115	BX 94	94	2388	2430	B 187	187	4750	4790
BX 43	43	1090	1130	BX 95	95	2416	2450	B 188	188	4780	4820
BX 43 ¼	43 ¼	1100	1140	BX 96	96	2438	2480	B 195	195	4952	5000
BX 44	44	1120	1160	BX 97	97	2465	2500	B 197	197	5000	5050
BX 45	45	1150	1180	BX 98	98	2500	2530	B 204	204	5182	5220
BX 46	46	1175	1210	BX 99	99	2515	2560	B 208 ½	208 ½	5300	5340
BX 46 ½	46 ½	1180	1220	BX 100	100	2540	2580	B 210	210	5334	5370
BX 47	47	1200	1240	BX 101	101	2565	2610	B 220	220	5600	5640
BX 48	48	1225	1260	BX 102	102	2600	2630	B 225	225	5720	5760
BX 49	49	1250	1290	BX 103	103	2616	2660	B 236	236	6000	6040
BX 50	50	1275	1310	BX 104	104	2650	2680	B 237	237	6030	6070
BX 51	51	1300	1340	BX 105	105	2667	2700	B 248	248	6300	6340
BX 52	52	1320	1360	BX 106	106	2700	2730	B 250	250	6350	6390
BX 52 ½	52 ½	1335	1370	BX 107	107	2718	2760	B 256	256	6500	6540
BX 53	53	1350	1390	BX 108	108	2750	2790	B 264	264	6700	6740
BX 53 ½	53 ½	1360	1400	BX 109	109	2770	2810	B 270	270	6850	6900
BX 54	54	1372	1410	BX 110	110	2800	2840	B 275	275	6980	7030
BX 55	55	1400	1440	BX 111	111	2820	2865	B 276	276	7000	7050
BX 56	56	1422	1460	BX 111 ½	111 ½	2830	2870	B 280	280	7100	7140
BX 57	57	1450	1490	BX 112	112	2850	2890	B 285	285	7240	7280
BX 58	58	1473	1510	BX 113	113	2870	2910	B 315	315	8000	8040
BX 59	59	1500	1540	BX 114	114	2900	2940	B 330	330	8380	8420

V - B E L T



TORQUE FLEX[®] V-BELTS (ISO)

CX/C

V-BELT

Belt reference	Imperial reference (inch)	Inside length Li (mm)	Datum length Ld (mm)	Belt reference	Imperial reference (inch)	Inside length Li (mm)	Datum length Ld (mm)	Belt reference	Imperial reference (inch)	Inside length Li (mm)	Datum length Ld (mm)
CX 41 ½	41 ½	1050	1110	CX 88	88	2240	2300	C 155	155	3942	4000
CX 42	42	1060	1120	CX 89	89	2261	2320	C 156	156	3960	4020
CX 43	43	1100	1150	CX 90	90	2286	2340	C 158	158	4000	4060
CX 45	45	1150	1210	CX 91	91	2300	2360	C 160	160	4064	4120
CX 46 ½	46 ½	1180	1240	CX 92	92	2337	2400	C 162	162	4100	4170
CX 47	47	1200	1260	CX 93	93	2360	2420	C 166	166	4216	4270
CX 48	48	1215	1275	CX 94	94	2388	2450	C 167	167	4250	4310
CX 49	49	1250	1300	CX 95	95	2413	2470	C 168	168	4260	4320
CX 50	50	1275	1330	CX 96	96	2438	2490	C 173	173	4394	4450
CX 50 ¾	50 ¾	1290	1350	CX 96 ½	96 ½	2450	2510	C 175	175	4445	4500
CX 51	51	1300	1355	CX 97	97	2464	2520	C 177	177	4500	4560
CX 52	52	1320	1380	CX 98	98	2480	2540	C 178	178	4520	4580
CX 53	53	1350	1410	CX 98 ½	98 ½	2500	2560	C 179	179	4540	4600
CX 54	54	1375	1430	CX 99	99	2525	2570	C 180	180	4572	4630
CX 55	55	1400	1450	CX 100	100	2540	2600	C 187	187	4750	4810
CX 56	56	1424	1480	CX 101	101	2560	2620	C 190	190	4826	4880
CX 57	57	1450	1510	CX 102	102	2591	2650	C 195	195	4593	5010
CX 58	58	1475	1530	CX 103	103	2616	2670	C 197	197	5000	5060
CX 59	59	1500	1560	CX 104	104	2642	2700	C 204	204	5182	5240
CX 60	60	1524	1580	CX 105	105	2667	2720	C 208	208	5300	5360
CX 61	61	1550	1610	CX 106	106	2692	2750	C 210	210	5334	5380
CX 62	62	1574	1630	CX 108	108	2750	2800	C 220	220	5580	5640
CX 63	63	1600	1650	CX 110	110	2800	2850	C 220 ½	220 ½	5600	5660
CX 65	65	1650	1700	CX 111	111	2819	2880	C 225	225	5715	5770
CX 66	66	1676	1730	CX 112	112	2845	2900	C 236	236	6000	6060
CX 67	67	1700	1760	CX 114	114	2896	2950	C 238	238	6045	6100
CX 68	68	1727	1780	CX 115 ½	115 ½	2940	3000	C 240	240	6096	6150
CX 69	69	1750	1810	CX 116	116	2950	3010	C 248	248	6300	6360
CX 70	70	1778	1830	CX 118	118	3000	3050	C 255	255	6470	6530
CX 71	71	1800	1860	C 119	119	3030	3080	C 256	256	6500	6558
CX 72	72	1829	1880	C 120	120	3048	3100	C 264	264	6700	6760
CX 73	73	1854	1910	C 122	122	3100	3160	C 268	268	6800	6860
CX 74 ½	74 ½	1900	1950	C 124	124	3150	3210	C 270	270	6850	6910
CX 76	76	1930	1990	C 126	126	3200	3260	C 276	276	7000	7070
CX 76 ½	76 ½	1950	2010	C 128	128	3250	3310	C 280	280	7100	7170
CX 77	77	1960	2015	C 130	130	3302	3360	C 295	295	7500	7560
CX 78	78	1981	2040	C 132	132	3350	3410	C 297	297	7540	7600
CX 79	79	2000	2060	C 134	134	3404	3460	C 314	314	7970	8030
CX 80	80	2032	2090	C 136	136	3450	3520	C 316	316	8020	8080
CX 81	81	2060	2110	C 138	138	3505	3560	C 328	328	8330	8390
CX 82	82	2083	2140	C 140	140	3550	3610	C 356	356	9040	9100
CX 83	83	2115	2170	C 142	142	3607	3665	C 358	358	9093	9150
CX 83 ½	83 ½	2120	2180	C 144	144	3658	3710	C 360	360	9140	9200
CX 84	84	2135	2190	C 146	146	3700	3760	C 370	370	9400	9450
CX 84 ½	84 ½	2140	2200	C 148	148	3750	3820	C 390	390	9906	9960
CX 85	85	2155	2220	C 150	150	3810	3870	C 418	418	10617	10670
CX 86	86	2184	2240	C 152	152	3860	3920				
CX 87	87	2210	2270	C 154	154	3912	3970				

TORQUE FLEX® V-BELTS (ISO)

DX/D

Belt reference	Imperial reference (inch)	Inside length Li (mm)	Datum length Ld (mm)	Belt reference	Imperial reference (inch)	Inside length Li (mm)	Datum length Ld (mm)	Belt reference	Imperial reference (inch)	Inside length Li (mm)	Datum length Ld (mm)
DX 104	104	2645	2720	D 177	177	4500	4575	D 269	269	6832	6890
DX 105	105	2665	2740	D 179	179	4550	4620	D 280	280	7100	7190
DX 110	110	2800	2870	D 180	180	4572	4650	D 297	297	7550	7620
D 118	118	3000	3070	D 187	187	4750	4830	D 298	298	7569	7650
D 120	120	3048	3130	D 190	190	4826	4900	D 300	300	7620	7700
D 124	124	3150	3230	D 194	194	4925	5000	D 306	306	7780	7850
D 128	128	3251	3330	D 195	195	4953	5030	D 315	315	8000	8075
D 132	132	3350	3440	D 197	197	5000	5075	D 316	316	8030	8100
D 136	136	3454	3530	D 208	208	5300	5360	D 328	328	8340	8410
D 137	137	3475	3550	D 210	210	5330	5400	D 330	330	8382	8460
D 140	140	3550	3625	D 214	214	5436	5510	D 354	354	9000	9070
D 144	144	3658	3730	D 220	220	5600	5660	D 357	357	9070	9140
D 148	148	3750	3830	D 225	225	5720	5790	D 360	360	9150	9220
D 150	150	3820	3890	D 228	228	5791	5870	D 374	374	9500	9580
D 154 ½	154 ½	3925	4000	D 236	236	6000	6075	D 394	394	10000	10080
D 158	158	4000	4080	D 237	237	6030	6100	D 418	418	10617	10700
D 162	162	4115	4190	D 240	240	6096	6170	D 477	477	12130	12200
D 164 ½	164 ½	4175	4250	D 248	248	6300	6375	D 492	492	12500	12570
D 167	167	4250	4325	D 255	255	6480	6550	D 536	536	13630	13700
D 170	170	4330	4400	D 264	264	6700	6780	D 595	595	15130	15200
D 173	173	4394	4470	D 266	266	6770	6840				

V - B E L T